


**Ansteckböden gerade zum Anlöten rechts**  
**Fonds droits à souder droite**

 Tel + 41 (0)32 387 97 97  
 Fax + 41 (0)32 387 97 88  
 info.strub@umicore.com
**120**

| Artikel Nr.<br>No. d'article | Abw.<br>Dév.<br>mm | Verp.Einheit<br>Unité emb.<br>Stk./pce |
|------------------------------|--------------------|--|
|------------------------------|--------------------|--|

**10 = Verzinkt/Galvanisé**

|            |     |    |
|------------|-----|----|
| 10.120.250 | 250 | 25 |
| 10.120.330 | 330 | 25 |

**20 = Kupfer/Cuivre**

|            |     |    |
|------------|-----|----|
| 20.120.200 | 200 | 25 |
| 20.120.250 | 250 | 25 |
| 20.120.330 | 330 | 25 |

**40 = CrNi-Stahl/Acier inoxydable**


|            |     |    |
|------------|-----|----|
| 40.120.200 | 200 | 25 |
| 40.120.250 | 250 | 25 |
| 40.120.330 | 330 | 25 |

**43 = CrNi-Stahl/Acier inoxydable mattpluS**

|            |     |    |
|------------|-----|----|
| 43.120.250 | 250 | 25 |
| 43.120.330 | 330 | 25 |

**Ansteckböden gerade zum Anlöten links**  
**Fonds droits à souder gauche**
**121**

| Artikel Nr.<br>No. d'article | Abw.<br>Dév.<br>mm | Verp.Einheit<br>Unité emb.<br>Stk./pce |
|------------------------------|--------------------|--|
|------------------------------|--------------------|--|

**10 = Verzinkt/Galvanisé**

|            |     |    |
|------------|-----|----|
| 10.121.250 | 250 | 25 |
| 10.121.330 | 330 | 25 |

**20 = Kupfer/Cuivre**

|            |     |    |
|------------|-----|----|
| 20.121.200 | 200 | 25 |
| 20.121.250 | 250 | 25 |
| 20.121.330 | 330 | 25 |

**40 = CrNi-Stahl/Acier inoxydable**

|            |     |    |
|------------|-----|----|
| 40.121.200 | 200 | 25 |
| 40.121.250 | 250 | 25 |
| 40.121.330 | 330 | 25 |

**43 = CrNi-Stahl/Acier inoxydable mattpluS**


|            |     |    |
|------------|-----|----|
| 43.121.250 | 250 | 25 |
| 43.121.330 | 330 | 25 |

**Ansteckböden gerade zum Anlöten rechts und links**  
**Fonds droits à souder droite et gauche**

Tel + 41 (0)32 387 97 97  
 Fax + 41 (0)32 387 97 88  
 info.strub@umicore.com

**123**

| Artikel Nr.<br>No. d'article | Abw.<br>Dév.<br>mm | Verp.Einheit<br>Unité emb.<br>Stk./pce |
|------------------------------|--------------------|--|
|------------------------------|--------------------|--|


**20 = Kupfer/Cuivre**

|            |     |    |
|------------|-----|----|
| 20.123.250 | 250 | 25 |
| 20.123.330 | 330 | 25 |

**Anfalzböden "Lipp" rechts und links**  
**Fonds droites à agraffer "Lipp" droite et gauche**

**124**

| Artikel Nr.<br>No. d'article | Abw.<br>Dév.<br>mm | Verp.Einheit<br>Unité emb.<br>Stk./pce |
|------------------------------|--------------------|--|
|------------------------------|--------------------|--|

**10 = Verzinkt/Galvanisé**

|            |     |    |
|------------|-----|----|
| 10.124.250 | 250 | 25 |
| 10.124.330 | 330 | 25 |

**20 = Kupfer/Cuivre**

|            |     |    |
|------------|-----|----|
| 20.124.250 | 250 | 25 |
| 20.124.330 | 330 | 25 |

**40 = CrNi-Stahl/Acier inoxydable**

|            |     |    |
|------------|-----|----|
| 40.124.250 | 250 | 25 |
| 40.124.330 | 330 | 25 |

**44 = Uginox FTE**

|            |     |    |
|------------|-----|----|
| 44.124.250 | 250 | 25 |
| 44.124.330 | 330 | 25 |

**50 = Zink(CuTi)/Zinc(CuTi)**


|            |     |    |
|------------|-----|----|
| 50.124.250 | 250 | 25 |
| 50.124.330 | 330 | 25 |

## Anklemböden gerade rechts Fonds droits à emboutir droite

Tel + 41 (0)32 387 97 97  
Fax + 41 (0)32 387 97 88  
info.strub@umicore.com

# 126

| Artikel Nr.<br>No. d'article | Abw.<br>Dév.<br>mm | Verp.Einheit<br>Unité emb.<br>Stk./pce |
|------------------------------|--------------------|--|
|------------------------------|--------------------|--|



### 10 = Verzinkt/Galvanisé

|            |     |    |
|------------|-----|----|
| 10.126.250 | 250 | 25 |
| 10.126.330 | 330 | 25 |
| 10.126.400 | 400 | 25 |

### 20 = Kupfer/Cuivre

|            |     |    |
|------------|-----|----|
| 20.126.200 | 200 | 25 |
| 20.126.250 | 250 | 25 |
| 20.126.330 | 330 | 25 |
| 20.126.400 | 400 | 25 |

### 40 = CrNi-Stahl/Acier inoxydable

|            |     |    |
|------------|-----|----|
| 40.126.200 | 200 | 25 |
| 40.126.250 | 250 | 25 |
| 40.126.330 | 330 | 25 |
| 40.126.400 | 400 | 25 |

### 43 = CrNi-Stahl/Acier inoxydable mattplus

|            |     |    |
|------------|-----|----|
| 43.126.250 | 250 | 25 |
| 43.126.330 | 330 | 25 |

### 44 = Uginox FTE

|            |     |    |
|------------|-----|----|
| 44.126.250 | 250 | 25 |
| 44.126.330 | 330 | 25 |

### 50 = Zink(CuTi)/Zinc(CuTi)

|            |     |    |
|------------|-----|----|
| 50.126.200 | 200 | 25 |
| 50.126.250 | 250 | 25 |
| 50.126.330 | 330 | 25 |
| 50.126.400 | 400 | 25 |

### 51 = Zink(CuTi) vorbewittert/Zinc(CuTi) prépatiné

### 52 = Zink(CuTi) Quartz/Zinc(CuTi) Quartz

|                |     |    |
|----------------|-----|----|
| 51./52.126.250 | 250 | 25 |
| 51./52.126.330 | 330 | 25 |

für eine superschnelle Montage:  
Nockenzange für die Montage  
der Anklemböden

pour un montage super-rapide:  
Pince à fixer les fonds droits  
à emboutir




Art. 99.782

## Anklemmböden gerade links Fonds droits à emboutir gauche

Tel + 41 (0)32 387 97 97  
Fax + 41 (0)32 387 97 88  
info.strub@umicore.com

# 127

| Artikel Nr.<br>No. d'article | Abw.<br>Dév.<br>mm | Verp.Einheit<br>Unité emb.<br>Stk./pce |
|------------------------------|--------------------|--|
|------------------------------|--------------------|--|



### 10 = Verzinkt/Galvanisé

|            |     |    |
|------------|-----|----|
| 10.127.250 | 250 | 25 |
| 10.127.330 | 330 | 25 |
| 10.127.400 | 400 | 25 |

### 20 = Kupfer/Cuivre

|            |     |    |
|------------|-----|----|
| 20.127.200 | 200 | 25 |
| 20.127.250 | 250 | 25 |
| 20.127.330 | 330 | 25 |
| 20.127.400 | 400 | 25 |

### 40 = CrNi-Stahl/Acier inoxydable

|            |     |    |
|------------|-----|----|
| 40.127.200 | 200 | 25 |
| 40.127.250 | 250 | 25 |
| 40.127.330 | 330 | 25 |
| 40.127.400 | 400 | 25 |

### 43 = CrNi-Stahl/Acier inoxydable mattplus

|            |     |    |
|------------|-----|----|
| 43.127.250 | 250 | 25 |
| 43.127.330 | 330 | 25 |

### 44 = Uginox FTE

|            |     |    |
|------------|-----|----|
| 44.127.250 | 250 | 25 |
| 44.127.330 | 330 | 25 |

### 50 = Zink(CuTi)/Zinc(CuTi)

|            |     |    |
|------------|-----|----|
| 50.127.200 | 200 | 25 |
| 50.127.250 | 250 | 25 |
| 50.127.330 | 330 | 25 |
| 50.127.400 | 400 | 25 |

### 51 = Zink(CuTi) vorbewittert/Zinc(CuTi) prépatiné

### 52 = Zink(CuTi) Quartz/Zinc(CuTi) Quartz

|                |     |    |
|----------------|-----|----|
| 51./52.127.250 | 250 | 25 |
| 51./52.127.330 | 330 | 25 |

für eine superschnelle Montage:  
Nockenzange für die Montage  
der Anklemmböden

pour un montage super-rapide:  
Pince à fixer les fonds droits  
à emboutir




Art. 99.782

## Anklemböden für Kastenrinnen "Standard" Fond carrés à emboutir pour chéneaux carrés "Standard"

Tel + 41 (0)32 387 97 97  
Fax + 41 (0)32 387 97 88  
info.strub@umicore.com

# 129

| Artikel Nr.<br>No. d'article | Abw.<br>Dév.<br>mm | Verp.Einheit<br>Unité emb.<br>Stk./pce |
|------------------------------|--------------------|--|
|------------------------------|--------------------|--|



### 20 = Kupfer/Cuivre

|                |     |               |    |
|----------------|-----|---------------|----|
| 20.129.200.001 | 200 | rechts/droite | 25 |
| 20.129.250.001 | 250 | rechts/droite | 25 |
| 20.129.330.001 | 330 | rechts/droite | 25 |
| 20.129.400.001 | 400 | rechts/droite | 25 |
| 20.129.200.002 | 200 | links/gauche  | 25 |
| 20.129.250.002 | 250 | links/gauche  | 25 |
| 20.129.330.002 | 330 | links/gauche  | 25 |
| 20.129.400.002 | 400 | links/gauche  | 25 |

### 40 = CrNi-Stahl/Acier inoxydable

|                |     |               |    |
|----------------|-----|---------------|----|
| 40.129.250.001 | 250 | rechts/droite | 25 |
| 40.129.330.001 | 330 | rechts/droite | 25 |
| 40.129.400.001 | 400 | rechts/droite | 25 |
| 40.129.250.002 | 250 | links/gauche  | 25 |
| 40.129.330.002 | 330 | links/gauche  | 25 |
| 40.129.400.002 | 400 | links/gauche  | 25 |

Art. 99.782



für eine super-  
schnelle Montage:  
Nockenzange für  
die Montage der  
Anklemböden

### 43 = CrNi-Stahl/Acier inoxydable mattplus

|                |     |               |    |
|----------------|-----|---------------|----|
| 43.129.250.001 | 250 | rechts/droite | 25 |
| 43.129.330.001 | 330 | rechts/droite | 25 |
| 43.129.250.002 | 250 | links/gauche  | 25 |
| 43.129.330.002 | 330 | links/gauche  | 25 |

pour un montage  
super-rapide:  
Pince à fixer les  
fonds droits  
à emboutir

### 44 = Uginox FTE

|                |     |               |    |
|----------------|-----|---------------|----|
| 44.129.250.001 | 250 | rechts/droite | 25 |
| 44.129.330.001 | 330 | rechts/droite | 25 |
| 44.129.250.002 | 250 | links/gauche  | 25 |
| 44.129.330.002 | 330 | links/gauche  | 25 |

### 50 = Zink(CuTi)/Zinc(CuTi)

|                |     |               |    |
|----------------|-----|---------------|----|
| 50.129.250.001 | 250 | rechts/droite | 25 |
| 50.129.330.001 | 330 | rechts/droite | 25 |
| 50.129.400.001 | 400 | rechts/droite | 25 |
| 50.129.250.002 | 250 | links/gauche  | 25 |
| 50.129.330.002 | 330 | links/gauche  | 25 |
| 50.129.400.002 | 400 | links/gauche  | 25 |

### 51 = Zink(CuTi) vorbewittert/Zinc(CuTi) prépatiné

### 52 = Zink(CuTi) Quartz/Zinc(CuTi)Quartz


|                    |     |               |    |
|--------------------|-----|---------------|----|
| 51./52.129.250.001 | 250 | rechts/droite | 25 |
| 51./52.129.330.001 | 330 | rechts/droite | 25 |
| 51./52.129.250.002 | 250 | links/gauche  | 25 |
| 51./52.129.330.002 | 330 | links/gauche  | 25 |

## Kugelböden zum Anlöten Fonds arrondis à souder

Tel + 41 (0)32 387 97 97  
Fax + 41 (0)32 387 97 88  
info.strub@umicore.com

# 130

| Artikel Nr.<br>No. d'article | Abw.<br>Dév.<br>mm | Verp.Einheit<br>Unité emb.<br>Stk./pce |
|------------------------------|--------------------|--|
|------------------------------|--------------------|--|



### 10 = Verzinkt/Galvanisé

|            |     |    |
|------------|-----|----|
| 10.130.250 | 250 | 25 |
| 10.130.330 | 330 | 25 |

### 20 = Kupfer/Cuivre

|            |     |    |
|------------|-----|----|
| 20.130.200 | 200 | 25 |
| 20.130.250 | 250 | 25 |
| 20.130.330 | 330 | 25 |

### 40 = CrNi-Stahl/Acier inoxydable

|            |     |    |
|------------|-----|----|
| 40.130.250 | 250 | 25 |
| 40.130.330 | 330 | 25 |

### 43 = CrNi-Stahl/Acier inoxydable mattplus

|            |     |    |
|------------|-----|----|
| 43.130.250 | 250 | 25 |
| 43.130.330 | 330 | 25 |

### 44 = Uginox FTE

|            |     |    |
|------------|-----|----|
| 44.130.250 | 250 | 25 |
| 44.130.330 | 330 | 25 |


### 50 = Zink(CuTi)/Zinc(CuTi)

|            |     |    |
|------------|-----|----|
| 50.130.250 | 250 | 25 |
| 50.130.330 | 330 | 25 |

## Kugelböden zum Anfalzen Fonds arrondis à agraffer

# 131

| Artikel Nr.<br>No. d'article | Abw.<br>Dév.<br>mm | Verp.Einheit<br>Unité emb.<br>Stk./pce |
|------------------------------|--------------------|--|
|------------------------------|--------------------|--|



### 20 = Kupfer/Cuivre

|            |     |    |
|------------|-----|----|
| 20.131.250 | 250 | 25 |
| 20.131.330 | 330 | 25 |