


Rinnenstutzen kurz zum Einhängen Naissances courtes à suspendre

Tel + 41 (0)32 387 97 97
Fax + 41 (0)32 387 97 88
info.strub@umicore.com

160

Artikel Nr. No. d'article	für Abw. pour dév. mm	Ø mm	Höhe hauteur mm	Verp.Einheit Unité emb. Stk./pce
------------------------------	-----------------------------	------	-----------------------	--



10 = Verzinkt/Galvanisé

10.160.250.075	250	075	065	25
10.160.250.100	250	100	085	25
10.160.330.075	330	075	080	25
10.160.330.100	330	100	075	25
10.160.400.100	400	100	115	25
10.160.400.120	400	120	165	25

20 = Kupfer/Cuivre

20.160.200.050	200	050	065	25
20.160.200.060	200	060	060	25
20.160.250.060	250	060	075	25
20.160.250.075	250	075	065	25
20.160.250.100	250	100	085	25
20.160.330.075	330	075	080	25
20.160.330.100	330	100	075	25
20.160.330.120	330	120	115	25
20.160.400.100	400	100	115	25
20.160.400.120	400	120	165	25

40 = CrNi-Stahl/Acier inoxydable

40.160.250.075	250	075	065	25
40.160.330.075	330	075	080	25
40.160.330.100	330	100	075	25
40.160.330.120	330	120	115	25
40.160.400.100	400	100	115	25
40.160.400.120	400	120	165	25

43 = CrNi-Stahl/Acier inoxydable mattpluS

43.160.250.075	250	075	065	25
43.160.330.075	330	075	080	25
43.160.330.100	330	100	075	25

44 = Uginox FTE

44.160.250.075	250	075	065	25
44.160.330.075	330	075	080	25
44.160.330.100	330	100	075	25


Fortsetzung nächste Seite
Suite page suivante

Rinnenstutzen kurz zum Einhängen Naissances courtes à suspendre

Tel + 41 (0)32 387 97 97
Fax + 41 (0)32 387 97 88
info.strub@umicore.com

160

Artikel Nr. No. d'article	für Abw. pour dév. mm	Ø mm	Höhe hauteur mm	Verp.Einheit Unité emb. Stk./pce
------------------------------	-----------------------------	------	-----------------------	--



50 = Zink(CuTi)/Zinc(CuTi)

50.160.250.075	250	075	065	25
50.160.330.075	330	075	080	25
50.160.330.100	330	100	075	25
50.160.330.120	330	120	115	25
50.160.400.100	400	100	115	25
50.160.400.120	400	120	165	25

51 = Zink(CuTi) vorbewittert/Zinc(CuTi) prépatiné


52 = Zink(CuTi) Quartz/Zinc(CuTi) Quartz

51./52.160.250.075	250	075	065	25
51./52.160.330.075	330	075	080	25
51./52.160.330.100	330	100	075	25

Rinnenstutzen zum Einhängen Schrägstutzen Naissances à suspendre Naissances obliques

170

Artikel Nr. No. d'article	für Abw. pour dév. mm	Ø mm	Verp.Einheit Unité emb. Stk./pce
------------------------------	-----------------------------	------	--



20 = Kupfer/Cuivre

20.170.250.075	250	075	1
20.170.330.075	330	075	1
20.170.330.100	330	100	1

40 = CrNi-Stahl/Acier inoxydable

40.170.250.075	250	075	1
40.170.330.075	330	075	1
40.170.330.100	330	100	1

50 = Zink(CuTi)/Zinc(CuTi)


50.170.250.075	250	075	1
50.170.330.075	330	075	1
50.170.330.100	330	100	1

Rinnenstutzen gerade zum Einbördeln Naissances droites, avec bord

Tel + 41 (0)32 387 97 97
Fax + 41 (0)32 387 97 88
info.strub@umicore.com

185

Artikel Nr. No. d'article	für Abw. pour dév. mm	Ø mm	Höhe Hauteur mm	Verp.Einheit Unité emb. Stk./pce
------------------------------	-----------------------------	------	-----------------------	--



20 = Kupfer/Cuivre

20.185.060	200	060	100	1
20.185.075	250	075	100	1
20.185.100	330	100	100	1
20.185.120	400	120	100	1

40 = CrNi-Stahl/Acier inoxydable

40.185.075	250	075	100	1
40.185.100	330	100	100	1

44 = Uginox FTE

44.185.075	250	075	100	1
44.185.100	330	100	100	1

50 = Zink(CuTi)/Zinc(CuTi)

50.185.075	250	075	100	1
50.185.100	330	100	100	1

51 = Zink(CuTi) vorbewittert/Zinc(CuTi) prépatiné

51.185.075	250	075	100	1
51.185.100	330	100	100	1