


Ablaufrohre rund, gefalzt konisch, 1 - 4 m Tuyaux de descente ronds, agrafés coniques, 1 - 4 m

Tel + 41 (0)32 387 97 97
Fax + 41 (0)32 387 97 88
info.strub@umicore.com

200

Artikel Nr. No. d'article	Ø mm	Dicke Epaisseur mm	Länge Longueur m
------------------------------	---------	--------------------------	------------------------



10 = Verzinkt/Galvanisé

10.200.075.062	075	0.62	1,2,3,4
10.200.100.062	100	0.62	1,2,3,4
10.200.120.062	120	0.62	3

20 = Kupfer/Cuivre

20.200.040.055	040	0.55	1
20.200.050.055	050	0.55	1
20.200.060.055	060	0.55	1,2
20.200.120.055	120	0.55	3
20.200.150.055	150	0.55	3

20 = Kupfer/Cuivre

20.200.075.055	075	0.55	1,2,3,4
20.200.100.055	100	0.55	1,2,3,4

40 = CrNi-Stahl/Acier inoxydable

40.200.050.050	050	0.50	1
40.200.060.050	060	0.50	1,2
40.200.120.050	120	0.50	3
40.200.150.050	150	0.50	3

40 = CrNi-Stahl/Acier inoxydable

40.200.075.050	075	0.50	1,2,3,4
40.200.100.050	100	0.50	1,2,3,4

43 = CrNi-Stahl/Acier inoxydable mattpluS

43.200.060.050	060	0.50	1,2
----------------	-----	------	-----

43 = CrNi-Stahl/Acier inoxydable mattpluS

43.200.075.050	075	0.50	1,2,3,4
43.200.100.050	100	0.50	1,2,3,4

44 = Uginox FTE

44.200.060.050	060	0.50	1,2
44.200.120.050	120	0.50	3

44 = Uginox FTE


44.200.075.050	075	0.50	1,2,3,4
44.200.100.050	100	0.50	1,2,3,4

1 Rahmen / cadre = Ø 075 = 162 Stk./pce Ø 100 = 91 Stk./pce
1/2 Rahmen / cadre = 50 Stk./pce

Ablaufrohre rund, gefalzt konisch, 1 - 4 m
Tuyaux de descente ronds, agrafés coniques, 1 - 4 m

Tel + 41 (0)32 387 97 97
 Fax + 41 (0)32 387 97 88
 info.strub@umicore.com

200



Artikel Nr. No. d'article	Ø mm	Dicke Epaisseur mm	Länge Longueur m
------------------------------	---------	--------------------------	------------------------

50 = Zink(CuTi)/Zinc(CuTi)

50.200.050.070	050	0.70	1
50.200.060.070	060	0.70	1,2
50.200.120.070	120	0.70	3

50 = Zink(CuTi)/Zinc(CuTi)

50.200.075.070	075	0.70	1,2,3,4
50.200.100.070	100	0.70	1,2,3,4

51 = Zink(CuTi) vorbewittert/Zinc(CuTi) prépatiné

52 = Zink(CuTi) Quartz/Zinc(CuTi) Quartz

51./52.200.075.070	075	0.70	3
51./52.200.100.070	100	0.70	3
51./52.200.120.070	120	0.70	3

Andere Materialien und Dimensionen auf Anfrage / Autres matériaux et dimensions sur demande


1 Rahmen / cadre = Ø 075 = 162 Stk./pce Ø 100 = 91 Stk./pce

1/2 Rahmen / cadre = 50 Stk./pce

Ablaufrohre rund, geschweisst zylindrisch und ausgeweitet, 1 - 5 m
Tuyaux de descente ronds, soudés cylindriques et évasés, 1 - 5 m

Tel + 41 (0)32 387 97 97
 Fax + 41 (0)32 387 97 88
 info.strub@umicore.com

201



Artikel Nr. No. d'article	Ø mm	Dicke Epaisseur mm	Länge Longueur m
20 = Kupfer/Cuivre			
20.201.060.055	060	0.55	1,2
20.201.120.060	120	0.60	1,2,3,4
20 = Kupfer/Cuivre			
20.201.075.055	075	0.55	1,2,3,4,5
20.201.100.055	100	0.55	1,2,3,4,5
40 = CrNi-Stahl/Acier inoxydable			
40.201.060.050	060	0.50	1,2
40.201.120.050	120	0.50	1,2,3,4
40 = CrNi-Stahl/Acier inoxydable			
40.201.075.050	075	0.50	1,2,3,4
40.201.100.050	100	0.50	1,2,3,4
43 = CrNi-Stahl/Acier inoxydable mattplus			
43.201.075.050	075	0.50	1,2,3,4
43.201.100.050	100	0.50	1,2,3,4
50 = Zink(CuTi)/Zinc(CuTi)			
50.201.060.065	060	0.65	1,2
50.201.120.070	120	0.65	1,2,3,4
50 = Zink(CuTi)/Zinc(CuTi)			
50.201.075.065	075	0.65	1,2,3,4,5
50.201.100.065	100	0.65	1,2,3,4,5
52 = Zink(CuTi) Quartz/Zinc(CuTi)Quartz			
52.201.100.065	100	0.65	2,3,4

1 Rahmen / cadre = Ø 075, 1-4 m = 162 Stk./pce; 5 m = 72 Stk./pce
 Ø 100, 1-4 m = 91 Stk./pce; 5 m = 40 Stk./pce
1/2 Rahmen / cadre = 50 Stk./pce

Ablaufrohre eckig, gefalzt, konisch, max. Länge 3 m

Tuyaux de descente carrés, agrafés, coniques, longueur max. 3 m



Tel + 41 (0)32 387 97 97

Fax + 41 (0)32 387 97 88

info.strub@umicore.com

203

Artikel Nr. No. d'article	Abw. Dév. mm	Dicke Epaisseur mm	A / B mm	Länge Longueur m
------------------------------	--------------------	--------------------------	-------------	------------------------



20 = Kupfer/Cuivre

20.203.058.055	250	0.55	058/058	1-3 m
20.203.078.055	330	0.55	078/078	1-3 m
20.203.095.055	400	0.55	095/095	1-3 m
20.203.120.055	500	0.55	120/120	1-3 m

40 = CrNi-Stahl/Acier inoxydable

40.203.058.050	250	0.50	058/058	1-3 m
40.203.078.050	330	0.50	078/078	1-3 m
40.203.095.050	400	0.50	095/095	1-3 m
40.203.120.050	500	0.50	120/120	1-3 m

44 = Uginox FTE

44.203.058.050	250	0.50	058/058	1-3 m
44.203.078.050	330	0.50	078/078	1-3 m
44.203.095.050	400	0.50	095/095	1-3 m
44.203.120.050	500	0.50	120/120	1-3 m

50 = Zink(CuTi)/Zinc(CuTi)

50.203.058.070	250	0.70	058/058	1-3 m
50.203.078.070	330	0.70	078/078	1-3 m
50.203.095.070	400	0.70	095/095	1-3 m
50.203.120.070	500	0.70	120/120	1-3 m

Lieferfrist auf Anfrage

Delai de livraison sur demande